

G6

Smart Gateway

User Manual

TTLock




Table of Contents

Indicator Light Status Description

1

Gateway Binding to APP

2

Setting Up Matter

3

Delete the Gateway

4

Indicator Light Status Description

1

- ① After the device is powered on, the indicator light:

Red and Blue Flashing Alternately

Ready state, can be bound and added by APP now.

Blue Flashing

TTLock APP binding in configuration.

Blue Stays On


Matter ready state, can be bound and added by other Matter router devices.

Red Flashing


Poor network, unable to communicate with the server.

Gateway Binding to APP


- 1 Connect the gateway to a power supply and open the **"TT Lock"** APP.
- 2 Tap **"+"**.
- 3 Tap **"G6 (Matter)"**.
- 4 The gateway indicator light flashes red and blue alternately, tap **"Next"**.
- 5 The G6 device is displayed, tap **"+"**.
- 6 Tap **"WiFi Name"** to select an available WiFi, enter the WiFi password and Gateway Name, then tap **"OK"**.
(IMPORTANT: Only 2.4GHz WiFi can be used)
- 7 The gateway automatically searches for the devices already bound to the APP and connects to them.




2 Tap "+".




3 Tap "G6 (Matter)".




4 Tap "Next".




5 Tap "+".



6 Select a WiFi, enter the password, then tap "OK".



6 The OK button is enabled after entering the password.




7 Devices connected to this gateway.


Setting Up Matter

3


- ① Open the G6 gateway page, then tap **"Matter"**.
- ② Tap **"Associate a lock"**, then tap the device that needs to be connected to Matter.
- ③ Tap **"Save"**.
- ④ Tap **"Pair with a Matter App"**, then tap **"Start"**.




① Tap "Matter" on the G6 gateway page.




② The Matter page; tap "Associate a lock".




② Tap the device that needs to be connected to Matter.



③ Tap "Save".



④ Tap "Pair with a Matter App".



④ Tap "Start".



④ Device has entered pairing mode.





- ⑤ Open the Google or Apple Home app, tap **"+"** or **"Add Accessory"**, scan the Matter QR code at the bottom of the gateway to complete the binding.

Delete the Gateway


4

- ① Select the gateway to be deleted.
- ② Tap **"Delete"**.
- ③ Confirm the deletion.



① Select the gateway.

② Tap "Delete".



③ Confirm the deletion.

B L U S A F E

G6 — Smart Gateway
TTLock app